

Langlebig

Robust

Wartungsfreundlich

FRANK®

# Electric steam and high pressure cleaner FE DMP



frank-hdr.de

*With electric heating coil*

MADE IN GERMANY



- ▶ Extremely fast heating up in 60-90 seconds.
- ▶ Temperature adjustable
- ▶ No exhaust fumes

- ▶ **Efficiency:**  
Cleaning pressure up to 180 bar and a steam temperature up to 145 ° C ensure that all types of oils, fats, stubborn stains and food residues are completely solved and removed.
- ▶ **Environmentally friendly:**  
Electric heating, free of exhaust gases and soot emissions. Due to the low water consumption, hardly any splash or waste water is released.
- ▶ **Safety:**  
Digital temperature limiter, safety temperature limiter (STL) and safety valve.
- ▶ **Mobile cleaning:**  
The multi-cleaner FE DMP combines high temperature and high pressure in one machine. Temperature and pressure are adjustable.
- ▶ **Heating coil:**  
Heating coils instead of boiler devices are energy-saving and highly efficient. Heating up in 60-90 seconds.
- ▶ **High temp. sterilization:**  
Sterilization is possible using high pressure and steam cleaning. Deep cleaning of the surfaces leads to the removal of germs and bacteria.


**DMP:** Pressure switch control VARIO STOP with cut - off delay, high pressure stage and steam stage.

[www.frank-hdr.de](http://www.frank-hdr.de)

## Technical data and equipment

Series Type	High pressure stage			Steam stage			Mains connection (V / ~ / A) * 50Hz	Nominal consumption (kW)	Heating capacity (kW)	10 m high pressure hose, spray gun and lance	Weight (kg)	Dimensions LxWxH (mm)
	Operating pressure max. (bar)	Volume flow max. (l/h)	Operating temperature max. (°C)	Operating pressure max. (bar)	Volume flow max. (l/h)	Operating temperature max. (°C)						
FE 220 DMP - 10	170	240	50	30	100	99	400 / 3 / 16	11	9,6	燻	110	1070 x 415 x 950
FE 220 DMP - 18	170	240	80	45	120	145	400 / 3 / 29	20	18	燻	110	
FE 220 DMP - 24	170	240	99	80	120	145	400 / 3 / 38	26	24	燻	120	
FE 718 DMP - 18	180	640	40	40	240	80	400 / 3 / 32	22	18	燻	120	
FE 718 DMP - 24	180	640	50	40	240	99	400 / 3 / 41	28	24	燻	130	

\* Other voltages on demand



Technical changes and errors reserved

**FRANK®**



▶ frank-hdr.de

**Frank Hochdruck- & Dampftechnologie GmbH**  
Bochumer Straße 15  
D-57234 Wilnsdorf, Germany

Fon +49 (0) 2739-47993.0  
E-Mail: info@frank-hdr.de  
[www.frank-hdr.de](http://www.frank-hdr.de)